
1/10








FIG. 2 (PRIOR ART)

REST AVAILABLE COPY








FIG. 5 (PRIOR ART)






FIG. 6 (PRIOR ART)





- -- Functional interface with unidirectional packet flow
- Functional interface with bi-idirectional packet flow
- ---- Functional interface without packet flow

FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15





Ethernet packet format


Edioritot puotot formide					
	6	6	2	46-1500	4
1700 —	Destination address	Source address	Туре	Data	CRC
	1702	1704	1706	1708	
NAL unicast packet format				r	
7 bits 1 bi	6	6	2	0-1500	ļ
1710 — NAL type E	Destination address	Source address	Туре	Data	
1712 ⁷ 1714 ⁷					7
NAL broadcast packet format	 	 - 			
7 bits 1 bit 2 bits 4	6	6	2	0-1500	!
1716 — NAL type E B-cast Broadcast type seq. num.	1 1	Source address	Туре	Data	
1718/ 1720/		· · · ·			

FIG. 17









This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| BLACK BORDERS
| IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
| FADED TEXT OR DRAWING
| BLURRED OR ILLEGIBLE TEXT OR DRAWING
| SKEWED/SLANTED IMAGES
| COLOR OR BLACK AND WHITE PHOTOGRAPHS
| GRAY SCALE DOCUMENTS
| LINES OR MARKS ON ORIGINAL DOCUMENT
| REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.